



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/087,296	03/01/2002	Anil Seth	1488.008US1	2127
21186	7590	01/25/2005		
SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A. P.O. BOX 2938 MINNEAPOLIS, MN 55402			EXAMINER ROMANO, JOHN J	
			ART UNIT 2122	PAPER NUMBER

DATE MAILED: 01/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/087,296	Applicant(s) SETH ET AL.	
	Examiner John J Romano	Art Unit 2122	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 3/01/2002, 7/09/2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-44 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-44 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 March 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>10/16/2002</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claims ~~1-44~~ are pending in this action.

Information Disclosure Statement

1. The Information Disclosure Statement filed on October 16th, 2002 has been considered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims **1, 2, 11-15, 22-25, 32-36, 43 and 44** are rejected under 35 U.S.C. 103(a) as being unpatentable over Bartley, US 6,219,796 (hereinafter **Bartley**), in view of Y. Li et al. A framework for estimating and minimizing energy dissipation of embedded hw/sw systems, (hereinafter **Li**).

4. In regard to claim **1**, **Bartley** discloses:

- *"A method of compiling computer code including power-down instructions to reduce power consumption during execution of the code..."* (E.g., see Figure 7 & Column 2, lines 62-67), wherein it is inherent that the code is efficient when executed by a processor.

- "...identifying one or more potential locations in the computer code where the power-down instructions can be inserted..." (E.g., see Figure 7 & Column 7, lines 10-21) wherein the potential locations are identified by scanning the code.
- "...selecting locations to insert the power-down instructions from the identified potential locations in the code based on reducing power consumption ..." (E.g., see Figure 7 & Column 7, lines 39-43), wherein the locations are determined by a predetermined threshold duration of non-use.
- "...inserting the power-down instructions in the selected locations to reduce the power consumption during the execution of the code ..." (E.g., see Figure 7 & Column 7, lines 43-46), wherein the power modifying or power-down instruction is then inserted to reduce the power consumption.

But **Bartley** does not expressly disclose "...satisfying user-specified real-time constraints...". However, **Li** discloses:

- "...satisfying user-specified real-time constraints..." (E.g., see Figure 5 & Page 4, Section 4.3), wherein the user specifies one of many multiple objective optimization goals via performance constraints.

Bartley and **Li** are analogous art because they are both concerned with the same field of endeavor, namely, an optimizing compiler with the means to reduce power or energy consumption. Therefore, at the time the invention was

Art Unit: 2122

made, it would have been obvious to a person of ordinary skill in the art to combine user specified real-time constraints with **Bartleys'** power reduction methods. The motivation is disclosed by **Bartley**, as he refers to program segments having a duration no longer than a "predetermined threshold." (Column 7, lines 42-43), wherein it is obvious the threshold may be determined by a user either via a user selected algorithm or other user input.

5. In regard to claim 2, the rejections of base claim 1 are incorporated.

Furthermore, **Bartley** discloses:

- "...wherein the code is written for a microprocessor having distinct functional units." (E.g. see Figure 7 & Column 3, lines 3-8) wherein the common characteristic is any processor or microprocessor that has more than one independent or distinct functional units.

6. In regard to claim 11, the rejections of base claim 1 are incorporated.

Furthermore, **Li** discloses:

- "... the number of power-down instructions that can be inserted in an execution path, including one or more identified potential locations." (E.g. see Table 2 & Section 5.2), wherein the time improvement or a negative time improvement as a performance constraint is taught and may be used to limit the number of instructions inserted.

Therefore, at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine **Li's** user specified real-time

Art Unit: 2122

constraints with **Bartleys'** power reduction methods. The motivation is disclosed by **Bartley**, as he refers to program segments having a duration no longer than a "predetermined threshold." (Column 7, lines 42-43), wherein it is obvious the threshold may be determined by a user either via a user selected algorithm or other user input. Furthermore, the segment is a direct relationship to **Li's** teaching of user specified performance constraint of time or execution cycles executed as a consequence of the energy savings. Additionally, **Bartley** provided the motivation for a number of power down instructions (E.g. see, Figure 5 & Column 2, line 11) wherein, it would have been obvious to one of ordinary skill in the art, to factor in particular power down instructions and the number of such instructions, based on the energy savings in relation to the overhead drawback.

7. In regard to claim **12**, the rejections of base claim **11** are incorporated. Furthermore, **Li** discloses.

- "...the number of additional cycles of execution time the user is willing to incur due to an insertion of the power-down instruction at each of the identified potential locations." (E.g. see Table 2 & Section 5.2), wherein the "...minimum energy dissipation while not exceeding the budget of clock cycles to execute..." is taught.

Therefore, at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine user specified real-time constraints with **Bartleys'** power reduction methods. The motivation is disclosed

Art Unit: 2122

by **Bartley**, as he refers to program segments having a duration no longer than a "predetermined threshold." (Column 7, lines 42-43), wherein it is obvious the threshold may be determined by a user either via a user selected algorithm or other user input.

8. In regard to claim **13**, the rejections of base claim **11** and claim **12** are incorporated. Furthermore **Bartley** discloses:

- "...inserting power-up instruction in the code to restore at least one functional unit to a ready state powered-down by the inserted power-down instructions.." (E.g. see Figure 7 & Column 6, lines 8-19), wherein the power up instruction is inserted.

Therefore, at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine **Li's** user specified real-time constraints with **Bartleys'** power reduction methods. The motivation is disclosed by **Bartley**, as he refers to program segments having a duration no longer than a "predetermined threshold." (Column 7, lines 42-43), wherein it is obvious the threshold may be determined by a user either via a user selected algorithm or other user input. Additionally, the segment is a direct relationship to **Li's** teaching of user specified performance constraint of time or execution cycles executed as a consequence of the energy savings.

9. As per claims **14**, **15**, **22** and **23**, this is a computer-readable medium version of the claimed method discussed above, in claims **1**, **2**, **11** and **13**, wherein all claimed limitations have also been addressed and/or cited as set forth

Art Unit: 2122

above, wherein **Bartley** also discloses "a storage device and external memory" (16), (E.g. see, Figure 1 and associated text).

10. As per claims **24, 25, 32** and **33**, this is a computer system version of the claimed method discussed above, in claims **1, 2, 11** and **13**, wherein all claimed limitations have also been addressed and/or cited as set forth above, wherein **Bartley** also discloses a computer system (E.g. see, Figure 1 and associated text).

11. In regard to claim **34**, the rejections of claim **1** are incorporated.

Additionally, **Bartley** discloses:

- *"A computer readable medium having a computer program including instructions for causing a computer to perform a method of selectively controlling power to different functional units of the computer, the instructions comprising..."* (E.g., see Figure 7 & Column 7, lines 10-21), wherein it is inherent that the instructions have to be on a computer-readable medium to be scanned by a computer process.
- *"...power-down instructions inserted in the computer-program in selected locations based on reducing power consumption..."* (E.g., see Figure 7 & Column 7, lines 10-21), wherein the potential locations are identified by scanning the code.
- *"...the power-down instructions in the selected locations reduce the power consumption during the execution of the code..."* (E.g., see Figure 7 & Column 2, lines 6-13), wherein the

locations are determined by a predetermined threshold duration of non-use.

12. As per claims **35, 36, 43** and **44**, the base claim **34** is incorporated.

Furthermore, this is another computer-readable medium version of the claimed method discussed above, in claims **1, 2, 11** and **13**, wherein all claimed limitations have also been addressed and/or cited as set forth above, (E.g. see Figure 1 & associated text), wherein a computer readable medium is shown (16).

13. Claims **3-10, 16-21, 26-31** and **37-42** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bartley** in view of Li and further in view of G. Ramalingam. Data Flow Frequency Analysis, SIGPLAN Conference on Programming Language Design and Implementation, 1996, (hereinafter **Ramalingam**).

14. In regard to claim **3**, the rejections of base claim **2** are incorporated.

Furthermore, **Bartley** discloses:

- "... *based on the functional units not being used in the potential locations, wherein the functional units not being used are determined based on functional unit usage ...*" (E.g. see Figure 7 & Column 7, lines 10-21), wherein the functional units are not used.

But **Bartley** does not specifically disclose a “...*transfer functions at each of the potential locations as specified in standard monotone data-flow frameworks.*” However, **Ramalingam** discloses:

- “...*transfer functions at each of the potential locations as specified in standard monotone data-flow frameworks.*” (E.g. see Section 3, The expected Frequency of Dataflow Facts), wherein the use of transfer functions as specified in standard monotone data-flow frameworks is taught.

The combined teaching and **Ramalingam** are analogous art because they are both concerned with the same field of endeavor, namely program optimization via standard analysis. Therefore, at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine a transfer function with static analysis method disclosed by the combined art of an optimizing compiler embodiment. The motivation is disclosed by **Bartley**, “Locating program segments during which a functional unit is not used may be done by either static or dynamic program analysis.” (Column 7, lines 47-49).

15. In regard to claim **4**, the rejections of base claim **3** are incorporated.

Furthermore, **Bartley** discloses:

- “... *statically analyzing processor cycles prior to executing the code.*” (E.g. see Figure 7 & Column 7, lines 47-52), wherein the processor or execute cycles are estimated by the compiler for static analysis.

Art Unit: 2122

16. In regard to claim 5, the rejections of base claim 4 are incorporated.

Furthermore, **Bartley** discloses:

- *"...the text in the code..."* (E.g. see Figure 7 & Column 7, lines 47-52), wherein the start and stop points exist in the program segments or text in the code.

17. In regard to claim 6, the rejections of base claim 3 are incorporated.

Furthermore, **Bartley** discloses:

- *"...a first power-down instruction operable to reduce power to all of the at least one functional unit, such that the functional unit is placed in a low state of readiness and a second power-down instruction operable to reduce power to only a part of the at least one functional unit, such that the functional unit is placed in an intermediate state of readiness."* (E.g. see Figure 6 & Column 6, line 60 – Column 7, line 3), wherein the "less ready" or low state and a "more ready" or intermediated state of readiness are taught.

18. In regard to claim 7, the rejections of base claim 1 are incorporated. But Bartley does not expressly disclose *"...executing the code to generate power-profiling and execution path-profiling information..."* or *"...assigning a weight factor based on the profile information..."*. However, **Li** discloses:

- *"...executing the code to generate power-profiling information associated with each of the identified potential locations..."* (E.g. see Figure 2 & Page 3, Section 3.4), wherein Figure 2 shows

the program execution trace which generates the software performance model and the software energy model is also generated based on the execution trace and then coupled with the memory energy models to account for the total system energy generating power information or a power-profile.

- "...*assigning a weight factor to each of the identified potential locations based on the generated power-profiling...*" (E.g. see Figure 5 & Section 4.2), wherein the EES/CSI ratio or weight factor prioritizes and then gets assigned a probability based on the ratio. Further the EES/CSI numbers are based on the profile information. Additionally, the user specifies constraints to be met in real-time in section 4.3.

But the combined teaching of **Bartley** and **Li** do not expressly disclose "...executing the code to generate path-profiling information...". However,

Ramalingam discloses:

- "...*path-profiling information...*" (E.g. see Section 1), wherein the path-profiling information is used to estimate probability.
- "...*and path-profiling information; and selecting the locations to insert the power-down instruction from the identified locations based on the assigned weight factors...*" (E.g. see Section 3, lemma 2), wherein the result is "...weighted...".

Therefore, at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine power and path profile

Art Unit: 2122

information with **Bartleys'** power reduction methods. Motivation was provided by **Bartley**, when he referred to static and dynamic analysis utilizing execution cycles, loop cycles and other "statistical predictions." (Column 7, lines 47-52), wherein it would have been obvious, at the time the invention was made, that **Li's** constraints and profile algorithm would be beneficial to the efficiency of a power reduction embodiment disclosed by **Bartley**. Furthermore, motivation was provided by **Li** (Figure 2) wherein, the program execution trace used by **Li** would only been beneficial if there was a probability that the path will actually be used.

19. In regard to claim 8, the rejections of base claim 7 are incorporated.

Furthermore, **Li** discloses:

- "...*generating execution probability of each of the identified potential locations based on the generated path-profiling information.*" (E.g. see Section 3, lemma 2), wherein the result is "...weighted..." by the probability of execution of the path.

Therefore, at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine probability derived from path profile information with **Bartleys'** power reduction methods in order to increase the efficiency by increasing the depth of the analysis.

20. In regard to claim 9, the rejections of base claim 8 are incorporated.

Furthermore, **Li** discloses:

- "...*extracting potential energy savings for each of the identified potential locations using the generated power profile analysis*

information..." (E.g. see Figure 5 & Page 4, Section 4.2),

wherein the EES is the estimated energy savings.

- "...*assigning the weight factor to each of the identified potential locations based on the extracted potential energy savings and the generated execution probability.*" (E.g. see Figure 5 & Page 4, Section 4.2), wherein the EES/CSI ratio or weight factor prioritizes and then gets assigned a probability based on the ratio. Further the EES/CSI numbers are based on the program execution trace or generated path-profiling information.

Therefore, at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine potential energy savings derived from power profile information with **Bartleys'** power reduction methods in order to increase the efficiency by increasing the depth of the analysis.

21. In regard to claim **10**, the rejections of base claim **9** are incorporated.

Furthermore, **Li** discloses:

- "...*executing the code to assign a first weight factor based on the extracted potential energy savings to each of the identified potential locations...*" (E.g. see Figure 2 & Column 3, lines 3-8), wherein the software performance model includes the product of execution cycles of a given instruction and the number of times an instruction is used or path profile and power information is factored to derive a weight factor.

Art Unit: 2122

- "... *executing the code to assign a second weight factor based on execution probability at each of the identified potential locations...*" (E.g. see Figure 2 & Column 3, lines 3-8), wherein the software performance model includes the product of execution cycles of a given instruction and the number of times an instruction is used or path profile.
- "... *computing a product of the first and second weight factors for each of the identified potential locations; calculating the weight factor for each of the identified potential locations based on the computed product of the first and second weight factors; and assigning the calculated weight factor to each of the identified potential locations.*" (E.g. see Figure 2 & Column 3, lines 3-8), wherein the software performance model includes the product of execution cycles of a given instruction and the number of times an instruction is used or path profile and the weight factor is assigned based on a product of weighted factors of both the energy savings or power profile and execution probability. The EES/CSI ratio as disclosed above is based on the products of path and profile information.

22. As per claims **16-21**, this is a computer-readable medium version of the claimed method discussed above, in claims **3, 4** and **7-10**, wherein all claimed limitations have also been addressed and/or cited as set forth above, (E.g. see Figure 1 & associated text), wherein a computer readable medium is shown (16).

Art Unit: 2122

23. As per claims **26-31**, this is a computer system version of the claimed method discussed above, in claims **3, 4** and **7-10**, wherein all claimed limitations have also been addressed and/or cited as set forth above, (E.g. see Figure 1 & Column 3, lines 3-8), wherein a computer system is shown.

24. As per claims **37-42**, the base claim **34** and **35** are incorporated. Furthermore, this is another computer system version of the claimed method discussed above, in claims **3, 4** and **7-10**, wherein all claimed limitations have also been addressed and/or cited as set forth above, (E.g. see Figure 2 & Column 3, lines 3-8), wherein a computer system is shown.

Conclusion

25. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

- Rostoker et al., US005557531A
- Kryka et al., US006832369B1
- Thompson et al., US 20040015919A1
- Frantz et al., US005557557A
- Ball et al., US 20020178401A1

26. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John J Romano whose telephone number is (571) 272-3872. The examiner can normally be reached on 8-5:30, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q Dam can be reached on (571) 272-3695. The fax

Art Unit: 2122

phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



TUAN DAM
SUPERVISORY PATENT EXAMINER

JJR